



2017





2017

.....

.....






cninf
巨潮资讯
www.cninfo.com.cn



2009

2017

2017	1	1	12	31
------	---	---	----	----



2017

“ ”

“ ”

“ ”


“ ” “ ”

” “ ”

“

” “ ” “ ”

“ ”




2017

1995


“

”




2017






2017





2017



2017

2017


134

4

4


22

x Đ



2017

“



2017

“

”

240

2017


52




“

”

200





2017


PMMA

/


1


2






2017





2017

0 100%



2017

6

2016

A

2014

“ ”

822

“ ”

189

22.99%

2017

79.31

5

2017

8.66

5 25 “ 2017

"

2017

“ 2017

5”

12 7 “

" 2017

“ 2016-2017

"

20

“

"

20


2017 6 30

“ ”

“ ”

2016 9

23



2017

ISO9000

ISO9001

ISO14001

GB/T28001

CNAS

CMA

3C

CE

FM

GOST-R

“ ”

11 29

EFQM

“


”


2017 1

“

”


ST






2017

“ ” “ ”




2017



2017


64

25



2017

2017			100
2000	7	2	2
7		80	5
	3		



2017

“

”

“

”

“

”

“ 863 ”

2007

“

”

2009

“

”

2010

“

”

2011

“

”

2012

“

”

2014

“

”

2015

“

”

2016

2016-2020

2017

“

”

“

”

2017

24

221

2

7

3

2

1

1

25

“

”

“

”

“


”

“

”

“


”



2017

2017

“ ”



6 19

CTO

“

”

“

”

11 29

12 5

Kondrashchenko Valery Ivanovich

Kondrashchenko Valery Ivanovich

“

”


Kondrashchenko Valery Ivanovich

12 26

“

”

	2015	2016	2017
	53.04	70.00	102.93




2017


	2.51	3.17	4.69
	4.74%	4.53%	4.56%

4.69

4.56%




2017



1000

2017

-	
-	
-	PCG-100
-	PCG-200
-	



2017



2017

2018


“ Hotterman ”


“

”



5





2017

	96
	117
	91
	128
	69
	44
	86
	34
	67
	43

6 29 2016 “ ”

12 1


2017

“ ” “ ”

1.

CE CTC CRCC

£ (



2017

2.

3.

4.

5.

100%

6.

10


31

9

BIM

“





2017

3.

4.

5.

“ ”


6.

12 8 2017


12 20


“ ”

W



5





6. 1.2

2000

7.

8.

31.680

54.351


86.031

9.

2000 /

10.

11. π^* π " " "




2017


		939.6	2017
		472	
		450	
		2	
		992.2	
		970	
		79	
		4449.27	

“ ”

37.5% 5 750
850500kW · h/a
0.0858t / t 2016 0.0904t / t
5.1%




2017



2017





2017

“

”

2017

,


500

“

”

	1614	23%
	1324	19%
	1961	28%
	203	3%
	1896	27%
	6998	100%

	242	3%



2017

	2919	42%
	3837	55%
	6998	100%


465 6.08%

2017 23.11%
30%

“

”

100% “ 3.8 ”



2017


2013 “ ” 2014 ,
2015 ,
2015
13 21.4 2016
,
, 18 40
2017 ,
43

“ ”

2017

100%

“ ”




2017


2017

6

16



2017




2017

“

”

2017




2017

2017

2017

q ? “




2017

ELN


2017

2017 12


2573



2017



2017



3 8

“ 2017

”

“


”

“


2017

”

2017





建立畅通全员职业生涯发展通道



“

”





2017

“ ”


2009 “ ” 2017
12 31 482 20

BTV

+ 2

8 1 90






2017

8 23

TP0

TP0





1 29

“ ”


“ 2017 ”



9 1

9000

50



2016 11 St Francis Hospital
B


2017 12 29

2018 1 31


40

“ ”

50




2017




	2
	3-5
	6 11-12
	6-11
	1
	13-18
	14

	17-18
	17 19-20
	21
	18
	32-33
	36-37
	38




2017

		35
		37
		37
		19-20 32-33
		13-15
		19
		35-40
		18
		41
		42
		46
		47-52
		42
		42
		18
		43
		42-43



		42
		43
		46-47
		18
		53
	3	



2017

		19-20
		32

